




“Specialists in Expanded Metal Building Products”

FHA #7 FOUNDATION WEEP SCREED - ZINC



#7 Foundation Weep Screed - ZINC	Flange Size	Ctns/Pallet
1/2"	3 1/2"	25
5/8"	3 1/2"	25
3/4"	3 1/2"	25
7/8"	3 1/2"	25
1"	3 1/2"	25

10' Lengths – 25 pcs/ctn – 250' per ctn

The #7 Foundation Weep Screed Zinc is used to provide a weep mechanism as part of the drainage system as required at the bottom of all framed walls; by all major building codes and the International Building Code in ASTM C1063. The larger holes in the ground flange are drainage holes as the entire surface of the sloped ground provides for drainage once the stucco has hydrated and shrinkage has occurred. The 3-1/2" nailing flange serves as a flashing when water resistant, breathable building paper or paper backed lath is installed over the flange.

ASTM B69-87 - Standard specification for flat rolled zinc. Approximately 99% pure zinc
ASTM C1063 - Standard specification for installation of lathing and furring for portland cement-based plaster
ASTM C841 - Standard specification for installation of interior lathing and furring
ASTM C1861 - Standard Specification for Lathing and Furring Accessories, and Fasteners, for Interior and Exterior Portland Cement-Based Plaster

NILES BUILDING PRODUCTS CO.

Company Headquarters
1600 Hunter Street
Niles, Oh 44446
Phone: 800-323-3329
Fax: 330-544-8868

www.nilesbldg.com